

USA TERMS [for this adapted version]

3 PIECE BABY SET [0 TO 3 MONTH SIZE] -- {hat, jacket, pants}

Made in Baby Soft DK [category #3 yarn]

Can be used for 20-22" long [height] reborn doll with 18-19" chest

Original at JustCrochet.com [if still there]

Designed by Heather 2007

Note: Rib Welts should be made with "I" hook for chain and "H" hook for rest of welt.

Note: If you want a larger size item, use a bigger hook size; if you want a smaller size, use a smaller hook size. This is for slightly larger or smaller.

MATERIALS:

- 3 x 100gram balls Baby DK Yarn
- 5 buttons for jacket
- 4 small buttons for bib of pants
- F, G, H crochet hooks [F = 3.75 MM, G = 4 MM, H = 5 MM]
- sizes, so be careful to use the right hook]
- Ribon, buds, bows, or other decoration [optional]

TENSION:

16dc & 6 rows of dcs measures appx 2" square

BABY SIZING:


For an American 0-3 month size baby, the standard chest circumference is typically between **16 and 18 inches** (approx. 40.5 to 45.5 cm). This size range generally fits infants weighing about **8.8 to 12.6 pounds** and measuring **21.5 to 24 inches** in length.

Measurements are in inches	Baby					
	Newborn	3 months	6 months	12 months	18 months	24 months
Chest	16	18	19	20	21	22
Waist	16	18	19	20	21	22
Hips	17	19	20	21	22	23
Center back to wrist	9	10	11	12	14	18
Back to waist	5 1/2	6	6 1/2	7	7 1/2	8
Across back (shoulder to shoulder)	6 1/2	7	7 1/2	8	8 1/2	8 3/4
Shoulder width	1 3/4	2	2 1/4	2 1/2	2 3/4	2 3/4
Neck width	3	3 1/4	3 1/4	3 1/2	3 1/2	3 1/2
Sleeve length - underarm to wrist	5 1/2	6	6 1/2	3/5	8	8 1/2
Upper arm width	5 1/2	6	6 1/2	7	7 1/2	7 1/2
Armhole depth	3	3 1/4	3 1/2	3 3/4	4	4 1/4
Wrist	4 3/4	5	5 1/4	5 1/4	5 1/4	5 1/2
Crotch to ankle	6	7	8	9	10	11
Waist to ankle	11	12	13	16	18	19
Dress length (to knee)	11	12	13	15	17	18
Head circumference	12-13	14-15	15-16	16-18	18-19	19-20
Hat depth	5 1/2	6	6 1/2	7	7 1/2	7 1/2
Bootie Length	3 1/4	3 1/2	4	4 1/2	5	5 1/2
Bootie Width	1 3/4	2	2 1/4	2 1/2	2 3/4	2 3/4

ABBREVIATIONS:

- WS = wrong side
- RS = right side
- dc= double crochet
- sc = single crochet
- ss = slip stitch
- rpt = repeat
- dec = leaving last loop of dc or sc on hook, yarn over and draw through all loops on hook
- dcf = work dc around front of the dc row below
- dcb= work dc around back of the dc row below
- wide = horizontal
- high = vertical

JUMPER PANTS WITH BIB: 0-3 month




Note:

PATTERN ROWS:

Row 1: RS – With “F” hook [3.75mm], ch3, dc to end of row. Join to top of ch3. Turn. {77dc + ch3}

Row 2: WS – ch1, ss to same space as ch1, *dc in next dc, ss in next dc,* ending row with a dc. Join with ss in 1st stitch of row. Turn. {78 stitches}

Start at waist and work in the round. Join each row at end of row. 20” a round appx. Which is 10” front and 10” back.



INSTRUCTIONS:

Pants: [START AT WAIST OF PANTS]

WAIST TO CROTCH:

With "G" hook [4.50 mm], 78ch, join to 1st chain. Change to "F" hook. Sc around, join to 1st sc. Do NOT turn.

Do pattern rows 1 & 2. {77dc + ch3}

Repeat pattern rows 1 and 2 to crotch. Turn each row. 1st row is always on RS and 2nd row is always on WS. [waist to crotch is 5"]

It is about 7 rows and **again 1st row** for 5 1/4" using "F" hook". Sc row is not counted in measurement.

Split for legs:

RS - Do **pattern row 2** for 36 dc's. Join to 1st stitch. Turn.
Repeat pattern rows 1 & 2 for 6" total from crotch to ankle
measuring inseam from crotch to ankle before welt added. Ending
with Row 1. Turn at end of row. Do not turn at end of last dc row.

Note: {appx. Row 2, 9 combination 1 & 2 rows, ending with row
1 = 6" Row 1 is then used to start welt.}

Welt: [welt is 1" high at ankles]. Ch3, *Dcf, dcb* repeat * to * to
end of row, ending row with dc in last stitch. Do total of 3 rows of
welt. RS – do sc row around. Join with ss in 1st dc of row. Do not
turn at end of rows. Finish Off.

Note: Measures 12" appx. from waist [not including sc row] to ankle
including the welt rows.

2nd Leg: skip 3 dc in center front and 3 dc in center back.
Later they are sewn together for crotch area.

Attach yarn for 2nd leg at WS outer side. Do row 2 of pattern
around. Join with ss. Should be 36 stitches done.

Repeat pattern rows 1 & 2 and do as leg 1 was done.

Sew 3 front and 3back dc together for crotch.

Note: The waist dc row will be used for threading the tie cord at
waist.

BIB: [not done in the round, but done flat]

Starting at back side RS facing. Start at waist with sl to sc 4 stitches from side of jumper. Ch3, 35dc across row for 8 1/2" wide {2 stitches + side stitch from side of jumper back, leaving 2 stitches and side stitch empty. Turn. [need an odd number of stitches so row 2 works.]

With WS facing do row 2 of pattern across row. Turn

Repeat Rows 1 & 2 of pattern for 6" high. End with row 1. Turn each row. Fasten Off. [appx 9 rows 1 & 2 and last row of row 1]

TAB on back piece:

RS facing, sc to 1st st of back of bib. Ch1, 1 sc in base of ch, work 1 sc in each of next 10 sts. Turn. {Total of 11 stitches for bib.}

Ch1, 1sc in base if ch, work 1sc to end of row. Turn. Repeat last row 2 more times. [11sc]

Next Row [Buttonholes]: ch1, 1 sc in base of ch1, 1 sc in next sc, ch2 skip 1 sc, 5sc, ch2, skip 1 sc, 1 sc in last 2sc. Turn.

1 **2** **3** **4** **5** **6** **7** **8** **9** **10** **11** **Button holes**

X X

Starting with ch1, sc in base of ch1, work 1 more row of 1sc in each sc, and ch2 space to end. Fasten Off.

Make another tab at other side of back. Both tabs should look the same.

Front of Bib – waist to neck: Starting at front side RS facing. Start at waist with sl to sc -- 4 stitches skipped from side of jumper. Ch3 in 5th stitch, dc across row for 8 ½" wide {skip 4 stitches from side of jumper back. Turn. [need an odd number of stitches so row 2 works.] [35 stitches]

With WS facing do row 2 of pattern across row. Turn


Repeat Rows 1 & 2 of pattern for 4". [appx 6 patterns + ending with row 1. Turn each row. Fasten Off.

Side 1 Front: Attach yarn Following pattern 1 & 2 rows [Row 1 RS and Row 2 WS] Do 11 stitches, Turn. [Must be an odd number.] Leave rest of row empty.

Following pattern rows, continue on these 11 stitches until piece is as high as the back height [about 2" high from start of side #1.] [appx. 3 pattern rows + ending with row 1.] Finish Off.

Side 2 Front: Attach yarn for 11 stitches on this side of neck. Follow pattern rows 1 & 2.

Following pattern rows, continue on these 11 stitches until piece is as high as the back height [about 2" high from start of side #2. Finish Off. [until same height as back]



Finishing: RS facing, attach yarn with ss to front piece at right waist area, ch1, sc in same ch1, sc around to waist on left side. Use 3sc in corners for ease at neck and shoulders. Finish Off.

RS facing, Attach yarn to left back with ss at waist area sc around to other waist area. Use 3sc in corners for ease at shoulders. Finish Off.

Make a cord or use a ribbon: desired length for waist. Thread the cord/ribbon through dc row at waist. Tie a bow in front.

HAT:

Standard Baby Hat Widths:

- **At birth:** Average is 13.4–13.8 inches (33–35 cm). Boys average slightly larger than girls.
- **At 1 month:** Average is about 14.8 inches (37.5 cm).
- **At 3 months:** Average is about 15.7 inches (40 cm).
- **Boys heads are slightly larger.**

Standard Baby Hat Heights:

- **Preemie:** 3.5 to 4.5 inches (9 to 11 cm)
- **Newborn:** 5 to 6 inches (13 to 15 cm)
- **3 to 6 Months:** 6.5 to 7 inches (16 to 18 cm)
- **6 to 12 Months:** 7.5 inches (19 cm)
- **Toddler (1–3 years):** 8 inches (20 cm)

Helpful Tips for Sizing:

- **Add for a Brim:** If you plan to fold the hat up to make a brim, add about 1.5 to 2 inches (4 to 5 cm) to the total height.
- **Check the Fit:** Users on [Crochetville](#) generally agree that a full-term newborn head has a circumference of about 14 inches, so measuring as you go helps ensure it is not too tight or too loose.



Instructions: Working in the round.

With "H" hook, make 67, join to 1st ch with ss, change to "G" hook, dc into 4th ch from hook, dc in each ch to end. Join Turn. [63dc + ch3]

Starting with ch3 on every row work 11 more rows in dc stitch making 12 rows in all. Join. Fasten off.

Next: With WS facing – working in the round, rejoin yarn to cast on ch. Working on the opposite side of work done, rpt **pattern rows 1 & 2** [of jacket and pants] for brim {increase 1 dc on 1st for of pattern for 64dc and ch3 = 65 stitches} – do pattern rows 3 times more [total of 4 complete patterns using row 1 and 2 of pattern], turning

at the end of each row. [64dc + ch3] Work **pattern row 1** once more. Fasten Off.
[64dc + ch3]

Make a PopPom: Use pompom maker 2-3" size. Leave a long end so it can be sewn in place on top of hat. [Easier if you have a 2-3" poppom maker.



Finishing: Gather top edge, sew pompom to gathered top of hat, turn hat through to right side. Fold back the brim and tack it in place. Hide all ends.

Bibs and booties are from:

<https://rhasaas-org.net/hobbies-interests/UPLOADS/baby-layettes/New-3pcJumper/Pattern-BOOTIES.pdf>

using baby yarn category #3.

BLANKET:



CROCHET BLANKET SIZES

Baby Blankets

Lovey:	12" x 12"
Security:	16" x 16"
Cradle:	20" x 32"
Stroller:	30" x 36"
Baby:	36" x 36"
Receiving:	40" x 40"
Toddler:	36" x 48"
Swaddler:	48" x 48"
Crib:	40" x 60"

Adult Blankets

Lapghan:	40" x 48"
Small Throw:	52" x 60"
Large Throw:	60" x 72"
Twin:	66" x 90"
Double:	80" x 90"
Queen:	90" x 90"
King:	90" x 108"
CA King:	98" x 110"

ALLFREECROCHET

For more projects, tips and inspiration, visit www.allfreecrochet.com

The best crochet stitches for a baby blanket are tight, closed stitches with no large gaps where tiny fingers or toes can get caught. Top choices include the **Moss stitch (granite stitch)**, **Suzette stitch**, **Lemon Peel stitch**, and **Half Double Crochet**, which provide a soft drape, safety, and cozy warmth.


Instructions:




Can do a non-stripe or a multicolor baby yarn to match the rest of the layette.

Link: <https://daisyfarmcrafts.com/crochet-coastal-pines-baby-blanket/>

Note: Jacket/Sweater is not here yet – being worked on pattern.



FLAT ONE PIECE BEFORE ADDING SLEEVES AND NECK TRIM.0003K



SWEATER/JACKET INSTRUCTIONS:

Make sweater/jacket in one piece to start with, then make sleeves and button bands. Place buttons and secure. 5 buttons are used. You might want to reinforce button holes when done. Then sew shoulder pieces to back using mattress stitch. Sew sleeves in place and side of sleeves together.

Start with "G" 4.5mm hook and ch 80 .

Welt at hip area:

Row 1: dc in 4th stitch from hook, dc across to end. Turn. {ch3 + 77dc}

Row 2: ch3, *dcf, dcb,* to end. Dc in last stitch. Turn

Repeat row 2 in dcf and dcb to end 2 more times so that there are three such rows as well as the initial dc row. Turn each row.

Pattern rows -- from top of welt area to underarms

[back, side 1, and side 2]. {4" high}

PATTERN ROWS:

Row 1: RS – With "F" hook [3.75mm], ch3, dc to end of row. Join to top of ch3. Turn. {77dc + ch3}

Row 2: WS – ch1, ss to same space as ch1, *dc in next dc, ss in next dc,* ending row with a dc. Join with ss in 1st stitch of row. Turn. {78 stitches}

BACK AREA ONLY – from underarm to neck of back area. {3 ½" high}.

Do Pattern rows. [leave side 1 and side 2 unworked for now]

Finish Off. {39 stitches on row}

SIDE #1 top: {3 ½" high from underarm area}

Do 1 dc row and 1 pattern row {19 stitches in row}

Ss in next 5dc {indenting row by 1" appx}

Work in pattern rows 1 and 2 until side is same height as back.

Fasten Off

SIDE #2 top: {3 ½" high from underarm area}

Do 1 dc row and 1 pattern row {19 stitches in row}

Skip last 5dc { row by 1" appx wide}

Work in pattern rows 1 and 2 until side is same height as back.

Fasten Off.

SLEEVES: [MAKE 2]

Rib Welt - Sleeves: [5 ¼" wide 1st row] SLEEVES = 6" LONG underarm to wrist

Starting at wrist, with "H" hook, ch25, change to "F" hook, dc in 4th chain from hook. Dc in each stitch to end of row. Turn. {22 dc + 3ch}

Next Row: ch3, *dcf into next stitch, dcb into next stitch,* rpt * to *, to end of row. Turn. [22 stitches + ch3]

Repeat 2 rib-welt for 2 more rows.

Body of Sleeves:

Using "F" hook, Do pattern rows 1 & 2 – increase 1 stitch each end of row when doing row 1.

Repeat above for each row 1 until 35 stitches are on the row.

Continue doing pattern rows 1 & 2 without increases until piece measures 6" measuring underarms to wrist - at seams.

Notes:

Button Hole Band for a Girl/Woman:

On a women's or girl's blouse, the buttonholes are traditionally placed on the right side of the garment (the left side from the wearer's perspective when looking down, or the right side when facing the garment flat), while the buttons are sewn on the left.

Button Hole Band for a Boy/Man:

On a man's or boy's shirt, the buttonholes are traditionally placed on the left side of the garment (the right side from the wearer's perspective when looking down, or the left side when facing the garment flat), while the buttons are sewn on the right.

Right and Left Front Borders [1/2" wide -Buttonhole border]: **worked** on side according to whether for a boy or girl. With right side facing, rejoin yarn with a ss, using "F" hook, starting with 1ch. **Work 27sc evenly along left front to neck edge.** Turn.

Next Row: ch1, sc into base of ch, 2ch and miss 1sc, *sc into next 5 sc, ch2, miss one sc, , * rpt * to * 3 times more, sc in last sc. Turn. [5 buttonholes]

Next Row: ch1, sc into base of ch, sc in each sc and ch space to end.

There are a total of 3 rows on borderbands on both sides of front. Fasten Off.

Right and Left Front Borders 1/2" wide [Button border]: With RS facing, using "F" hook, work from neck down completely same as for buttonhole border omitting buttonholes. Fasten Off.

NOTE:

Mattress Stitch Join:

Preparing for the Join

- *Place your two crochet pieces side-by-side with the right side facing up.*
- *Thread a tapestry or yarn needle with a long tail of matching yarn.*
- *Align the starting corner stitches or row ends carefully so they match up.*

Sewing the Mattress Stitch

- *Anchor your yarn securely at the base corner of the two pieces.*
- *Insert your needle under the bar or loop of the first stitch on the left piece.*
- *Move directly across to the right piece and insert the needle under the corresponding stitch loop.*
- *Continue working in a zigzag pattern back and forth from left to right.*
- *Pull the yarn tight every few stitches; the thread will sink into the fabric and pull the edges together invisibly.*



Above: mattress stitch join

Join shoulder seams: Use mattress stitch for invisible joins.

Collar: With WS facing, using “F” hook, join yarn to 3 stitch of button band with a ss, ch3, work 58dc all around neck edge evenly to within 3 stitches on second front band. Turn. [58dc + 3ch]

Note: You need ease at neck/shoulder seam area so put 3 dc each out of the 58dc.

Next Row: With RS facing, ch3, *1dcf into next dc, 1dcb into next dc, * rpt * to * to end of row. Turn.

[58dc + 3ch]

Next Row: With WS facing, ch3, * dcb into next dc, dcf into next dc,* rpt * to * to end of row. Turn.

[58dc + 3ch] {side 1 = 22 dc, back = 14 dc, side 2= 23 dc}

Finishing:

- Fold sleeves in half. Place center to shoulder seams and sew into position. Sew up sides and sleeve seams using mattress join.
- Turn through to RS. Fold collar back and tack to secure.
- Sew on buttons.
- Sew in and hide lose ends.